

1300 watt reciprocating saw with variable speed

RS 13-32

Order number 438.383



Technical attributes

Orbit rate, no load	0-3000 opm
Orbit	32 mm
Power input	1300 watt
Power output	600 watt
Max. material thickness, timber	230 mm
Max. material thickness, metal	20 mm
Cable length	4,0 m
Size (W x L x H)	510 x 93 x 175 mm
Weight	4,6 kg

1300 watt reciprocating saw with variable speed

- + Electronic feedback control for stroke, accelerator trigger switch, speed selector wheel for speed adjustment, overload protection
- + Powerful 1300 watt motor
- + Universal saw blade holder: for an easy saw blade exchange
- + Saw support can be adjusted and detached without any tools
- + Tool-free saw blade change with ejection function
- + Saw blade can be turned through 180°
- + Twin-bearing lifting rod guide with vibration balancing for fatigue-free working
- + Ergonomically designed, non-slip, soft grip handle
- + Rubberised gear case for a secure grip
- + Dust- and splash-proof lifting rod guide
- + Integrated LED light

Standard equipment

1 carrying case	455.059
-----------------	---------

Accessories

Carrying case

Order number 455.059



Impact-resistant plastic carry case for the RS/RSP 13-32.

Technical attributes

QTY/PKG	1
---------	---

Reciprocating saw blades for metal and sheet material

Order number 462.055



Reciprocating saw blade for 2-8 mm cuts in stainless steel, metal/steel, sheet steel, steel tubing, open/closed sections.

Technical attributes

Teeth per inch	14
Length in mm	150
QTY/PKG	5

Reciprocating saw blades for metal and sheet material

Order number 462.063



Reciprocating saw blade for 1.5-3 mm deep cuts in stainless steel, metal/steel, sheet steel, steel tubing, open/closed sections.

Technical attributes

Teeth per inch	18
Length in mm	150
QTY/PKG	5


FLEX-Elektrowerkzeuge GmbH
Bahnhofstraße 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Accessories

Reciprocating saw blades for metal and sheet material

Order number 462.071



Technical attributes

Teeth per inch	14
Length in mm	230
QTY/PKG	5

Reciprocating saw blade for 2-8 mm cuts in metal/steel, sheet steel, steel tubing, open/closed sections and for 3-180 mm cuts in timber/pallet manufacture.

Reciprocating saw blades for metal, timber, plastic materials

Order number 462.098



Technical attributes

Teeth per inch	6
Length in mm	150
QTY/PKG	5

Reciprocating saw blade for 6-100 mm cuts in MDF, timber containing nails, for building renovation/window frames, metal/steel, glass-fibre reinforced plastics/epoxy, curved cuts.

Reciprocating saw blades for metal, timber, plastic materials

Order number 462.101



Technical attributes

Teeth per inch	10
Length in mm	150
QTY/PKG	5

Reciprocating saw blade for 3-100 mm cuts in timber containing nails, glass-fibre reinforced plastics/epoxy, and for 3-12 mm cuts in stainless steel, metal/steel, steel tubing.

Accessories

Reciprocating saw blades for metal, timber, plastic materials

Order number 462.128



Technical attributes

Teeth per inch	10
Length in mm	230
QTY/PKG	5

Reciprocating saw blade for cuts of between 3-190 mm in timber containing nails, pallet manufacture, glass-fibre reinforced plastics/epoxy, and for 3-12 mm cuts in metal/steel, steel tubing.

Reciprocating saw blades for demolition

Order number 462.136



Technical attributes

Teeth per inch	10
Length in mm	230
QTY/PKG	5

Demolition blade for accurate angular cuts up to 180 mm in hardwood, MDF, timber containing nails, for building renovation/window frames, glass-fibre reinforced plastics/epoxy.

Reciprocating saw blade for insulation material

Order number 462.144



Technical attributes

Length in mm	300
QTY/PKG	2

Reciprocating saw blade for cuts into insulation material, mineral wool, foam, polystyrene (Styrofoam, Styrodur) leather, rubber, paper, carton and carpet.

Reciprocating saw blades for timber

Order number 462.152



Technical attributes

Teeth per inch	10
Length in mm	230
QTY/PKG	2

Reciprocating saw blade for very clean 6-150 mm cuts in plywood, multiplex/blockboard, MDF, laminated panels.

FLEX-Elektrowerkzeuge GmbH
Bahnhofstraße 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Accessories

Reciprocating saw blade for pallets

Order number 462.160



Technical attributes

Teeth per inch	10
Length in mm	230
QTY/PKG	5

Reciprocating saw blade for 30-100 mm cuts for pallet manufacture.

Reciprocating saw blades assortment for plastic/wood/metal

Order number 462.179



Technical attributes

QTY/PKG	3
---------	---

Set consisting of: 1 reciprocating saw blade for 1.5-3 mm deep cuts in stainless steel, metal/steel, sheet steel, steel tubing, open/closed sections 1 reciprocating saw blade for 6-100 mm cuts in MDF, timber containing nails, for building renovation//window frames, metal/steel, glass-fibre reinforced plastics/epoxy, curved cuts. 1 reciprocating saw blade for 3-190 mm cuts in timber containing nails, pallet manufacture, glass-fibre reinforced plastics/epoxy, and for 3-12 mm cuts in metal/steel, steel tubing.